

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150219-E116875  
**Report Reference** E116875-20150218  
**Issue Date** 2015-FEBRUARY-19

**Issued to:** SCHNEIDER TOSHIBA INVERTER S A S  
RUE ANDRE BLANCHET  
27120 PACY SUR EURE FRANCE

**This is to certify that representative samples of** POWER CONVERSION EQUIPMENT  
See addendum page for Models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 61800-5-1 Standard for Adjustable Speed Electrical Power Drive Systems - Part 5-1: Safety Requirements - Electrical, Thermal and Energy

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150219-E116875  
**Report Reference** E116875-20150218  
**Issue Date** 2015-FEBRUARY-19

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product:

USL- Cat. No. ATV12 followed by H, followed by O or U, followed by 15, 18, 22, 37, 55 or 75, followed by M2, followed by X or blank, may be followed by S followed by three numbers.

The following models are obsolete for UL61800-5-1 but stay in the report for documentation reasons:

Cat. No. ATV12 followed by H, followed by O or U, followed by 15, 18, 22, 30, 37, 40, 55 or 75, followed by F1, M2 or M3, followed by X or blank, may be followed by S followed by three numbers.

Cat. No. VFNC3M, followed by 2, followed by 001, 002, 004, 007, 015 or 022, followed by P



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/contactus](http://www.ul.com/contactus)

