

CERTIFICATE OF COMPLIANCE

Certificate Number 20140919-E233482
Report Reference E233482-20120123
Issue Date 2014-September-19

Issued to: ELIWELL CONTROLS SRL
VIA DELLE INDUSTRIE 15
32010 PIEVE D'ALPAGO BELLUNO ITALY



This is to certify that representative samples of COMPONENT - CONTROLLERS, REFRIGERATION
See next page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: See next page

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark: , may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada:  and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Recognized Component Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20140919-E233482
Report Reference E233482-20120123
Issue Date 2014-September-19

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

USR, CNR – Component, Operating controls, Refrigeration controller:

DIN rail mounting - Series Energy Flex, SD, SC or SE, followed by 6, followed 0, 1, 2, 3, 4 or 5, followed 0 or 2, followed 0, 1 or 2, followed 0, 1, 2 or 3, followed 0, 1, 2, 3, 4 or 5, followed by one alphanumeric digit, followed 0, 1, 2 or 3, followed by 4, may be followed by two alphanumeric digits.

DIN rail mounting - Series Modicon M171 Optimised, TM171EO, followed by 15 to 22, followed by R.

DIN rail mounting - Series Energy Flex, SD or SC, followed by 6, followed 0, 1, 2, 3, or 4, followed 0, followed 0, 1 or 2, followed 0, 1, 2 or 3, followed 0, 1, 2, 3, 4 or 5, followed by one alphanumeric digit, followed 0, 1, 2 or 3, followed by H, may be followed by two alphanumeric digits.

DIN rail mounting - Series Free Smart, SMD or SMC, followed 0, 1, 2, 3, 4 or 5 followed 2, 5, or 6, followed by two alphanumeric digits, followed 00, 01, 02 or 05, followed by one alphanumeric digit, followed by 4, may be followed by two alphanumeric digits.

DIN rail mounting - Series Modicon M171 Optimised, TM171O, followed by B, D, may be followed by M, followed by 15 to 22, followed by S, R.

DIN rail mounting - Series Free Smart, SMD, SMC or SME, followed 0, 1, 2, 3, or 4, followed 2 or 5, followed by two alphanumeric digits, followed 00, 01, 02 or 05, followed by one alphanumeric digit, followed by H, may be followed by two alphanumeric digits.

DIN rail mounting - Series Modicon M171 Optimised, TM171O, followed by B, D, may be followed by M, followed by 1 to 14, followed by S, R.

Series Modicon M171 Optimised, TM171EO, followed by 1 to 14, followed by R.

Standards:

UL 60730-1, Automatic Electrical Controls for Household and Similar Use, Part 1: General Requirements

UL 60730-2-9, Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls

CAN/CSA-E60730-1:02, Automatic Electrical Controls for Household and Similar Use, Part 1: General Requirements + Amendment 1

CAN/CSA-E60730-2-9:01, Automatic Electrical Controls for Household and Similar Use - Part 2-9: Particular Requirements for Temperature Sensing Controls + Amendment 1



William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

