


**Pro-face**  
for the best interface

Industrial Personal Computer

# PS 4000 SERIES



	Display	Expansion Slot	CPU
 <p><b>PS-4800</b></p> <p>Standard Interface</p> <ul style="list-style-type: none"> <li>• COM x 2</li> <li>• LAN x 2</li> <li>• CF x 1</li> <li>• DVI-I x 1 • USB x 5</li> </ul> <p>Core™ 2 Duo 115W, Atom™ 95W</p>	<p><b>19</b> inch</p> <p>SXGA (1,280x1,024)</p>	<p><b>2</b> slots (PCI x1, PCIe (x4) x1) or (PCI x2)</p> <hr/> <p><b>1</b> slot (PCIx1)</p>	<p>Core™ 2 Duo P8400</p> <p><b>2.26</b>GHz</p>
<p>Aluminum Bezel</p>  <p><b>PS-4700</b></p> <p>Standard Interface</p> <ul style="list-style-type: none"> <li>• COM x 2</li> <li>• LAN x 2</li> <li>• CF x 1</li> <li>• DVI-I x 1 • USB &lt; 5</li> </ul> <p>Core™ 2 Duo 100W, Atom™ 70W</p> <p>Stainless Steel Bezel</p>	<p><b>15</b> inch</p> <p>XGA (1,024x768)</p>	<p>None</p>	
 <p><b>PS-4000B</b></p> <p>Standard Interface</p> <ul style="list-style-type: none"> <li>• COM x 2</li> <li>• LAN x 2</li> <li>• CF x 1</li> <li>• DVI-I x 1 • USB x 5</li> </ul> <p>Core™ 2 Duo 90W, Atom™ 60W</p>	<p>—</p>	<p><b>5</b> slots <sup>*3</sup> (PCI x2, PCIe (x1) x3) or (PCI x4, PCIe (x1) x1)</p> <hr/> <p><b>2</b> slots (PCI x1, PCIe (x4) x1) or (PCI x2)</p> <hr/> <p><b>1</b> slot (PCIx1)</p>	<p>Atom™ N270</p> <p><b>1.6</b>GHz</p> 
<p>Aluminum Bezel</p>  <p><b>PS-4700</b></p> <p>Standard Interface</p> <ul style="list-style-type: none"> <li>• COM x 1</li> <li>• LAN x 1</li> <li>• CF x 1</li> <li>• USB &lt; 3</li> <li>• SD x 1</li> </ul> <p>Atom™ 31W</p> <p>Stainless Steel Bezel</p>	<p><b>15</b> inch</p> <p>XGA (1,024x768)</p>	<p>None</p>	<p>Atom™ Z510</p> <p><b>1.1</b> GHz</p> 

## Built-to-Order PS4000 Series

The PS4000 Series are sold Built-to-Order (BTO). You can select your desired PC and customize it in detail.\*

\* Please note that some patterns cannot be selected depending on the model or combination. Confirm your selection with the BTO sheet on the Pro-face web site at :

[profaceamerica.com](http://profaceamerica.com)

## Five keywords for ensuring stable

### Dependability

#### Reliable Operation with a Disk-less System

SSD or CF Card with Embedded OS ensures stable operation even in locations subject to vibration or shock.

For longer CF Card life, we recommend enabling the Enhanced Write Filter (EWF) and saving log data to another storage device.



#### Continuous Operation When Needed

All models, including those with a hard disk drive, can be used continuously for 24 hours.

#### Extend Product Part Life

A large-size heat sink and intelligent fan control, reduces over-heating and extends the life of IPC components.\*

\* Fan-less model has lower operating noise and heat generation.



#### Sites Where Power Failures Occur Frequently or the Voltage is Unstable

UPS (Uninterruptible Power Supply)\*

\* DC power supply model only



### Stable Supply

#### Consistent Operating System Support

A licensing agreement with Microsoft allows us to provide a consistent supply of Windows operating systems.

### High Performance

#### High-speed Processing Combinations

Windows® 7 for the OS, Core™ 2 Duo for the CPU. PCI Express for the expansion slot.

Power Supply	RAM	Operating System	Storage Device	Expansion Option	
				Slide-in Slot	I/F Port
AC 100-240V	Core™ 2 Duo P8400 2 to 8GB*2	Windows® XP Professional (32bit)	CF 4GB to 8GB HDD 250GB (RAID Options Available) SSD 80GB to 160GB	DVD Multi drive HDD 250GB	RS-232C x2 RS-232C/422/485 (optional) Ethernet 10/100/1000 Mbit/s
DC*1 24V	Atom™ N270 1 to 3GB	Windows® 7 Ultimate (32/64bit)	SSD 32GB		RS-232C/422/485 DVI-D
DC*1 24V	1 to 2GB	Windows® Embedded 2009 (32bit) Windows® XP Professional (32bit)	CF 4GB to 8GB CF 16GB	—	Ethernet 10/100/1000 Mbit/s (2nd Ethernet optional)

\*1: Special power supply is available for conformance to marine vessel standards or for the use of UPS.

\*2: 6GB or 8GB is available when choosing 64-bit OS.

\*3: 5 slot unit is available when choosing Core™ 2 Duo P8400 only.

\*4: Special order only.

For detailed specifications, visit Pro-face web site. [profaceamerica.com](http://profaceamerica.com)

## use of PCs in Industrial environments

### Maintainability


#### ■ Easily Replaceable HDD Drive

The "slide-in slot" cartridge for HDD/SSD, and DVDRW allows for quick and easy replacement.



#### ■ Easily Replaceable Fan

A fan kit is provided as a maintenance product to enable easy replacement.



#### ■ Global Support

Exceptional service and support is available on a global scale.



### Compatibility


#### ■ Re-use Existing HMI Applications

WinGP allows screens created with GP-Pro EX to be used on a PC.



#### ■ Industrial Touch Monitor

The PS4000 Series supports the connections\* to Pro-face FP3000 Series Flat Panel monitor.



\*Connection using DVI Cable  
Note: Rev 2 or later supports DVI

# WinGP IPC Runtime Software for GP-Pro EX Maximizing Your Industrial Computer Potential




**Operator Interface On-Demand with the flexibility of an industrial computer.**

## WinGP: Maximizing Your Industrial Computer Potential

WinGP is runtime software for GP-Pro EX HMI created applications. HMI applications are quickly installed on an industrial touch screen computer, creating Windows-based HMI.

For ● PS4000/● APL3000/● PS3000



**GP-Pro EX HMI application will communicate with various controllers using a Pro-face industrial computer.**

### Pro-face PS4000 Industrial PC

Pro-face PS4000 Industrial computers offer a wide variety of options, drives, fanless, RAID, SSD Drives, and many more.


#### PS4000 Standard Performance



### Reduce System Space

#### Eliminate Components and cut Panel Costs

Conventional systems that combine a PC, a graphic operator interface and a PLC can be simplified to an industrial PC and a PLC. PC, GUI, and PLC are simplified to an IPC and PLC. Reduced components reduces maintenance time and costs.



### Re-use Existing HMI Applications

Stay flexible with your choice of technology



### 3rd Party Application Flexibility

Communicate to WinGP runtime using a flexible link to user applications

- ▶ Link to User Database using the Handling API  
Enables a user application to receive WinGP status and to change its setup. (Provided as the DLL file)
- ▶ Control from User Application using Device Address API  
Enables a user application to read/write devices on controllers connected with WinGP. (Provided as a DLL file)

Supported Languages  
• Visual C++ • Visual Basic • C# • VB.NET • VBA



Developmental software for both dedicated innovations in visualization solutions and open windows-based operator interfaces.



Individual functions can be selected at a glance using these icons.

Created screens can be visually selected using the thumbnail view.

A screen call menu can be displayed. If you activate the screen call function while creating a screen, the called screen is moved below, and displayed as a thumbnail.

The editing screen can be customized to give one click access to frequently used



Various graphs such as trend graphs can be placed on the screen.

Your search can be narrowed to select the best parts suited for the application.

Frequently-used functions can be assigned to function keys, making mouse-free editing possible.

Creating great HMI applications is as easy as 1, 2, 3, 4.  
Intuitive Self-Guiding HMI Software

## Four Easy Steps

### 1. Set up communications

- Choose and set up PLC and third-party devices effortlessly.
- System settings are arranged for ease of use.

### 2. Design application/screens

- Drag-and-drop addressing, parts and colors.
- User can create reusable pre-defined templates.

### 3. Simulate and test

- Verify before you travel.
- Debug your application without hardware.
- Test without downloading.

### 4. Download/transfer

- Tamper-proof HMI application – password-protected project source.

# Outstanding Support

- ✓ **No Phone Bouncing**
- ✓ **No Contracts**
- ✓ **No Hassles**



## Outstanding Technical Services

Pro-face is committed to delivering excellent technical support whether you are local or abroad. We have trained specialists both in-house and in the field.

### **Better than Basic Support Services:**

- Product level Technical Support
- Component Selection recommendations
- Compatibility testing to customer hardware
- Product Migration Compatibility Assistance
- Pros and Cons of IPC vs Dedicated HMI

### **Proof-of-Concept Assistance:**

- Perform project setup and debug
- HMI Application Project Analysis
- Application Conversion assistance for smooth transition to Pro-face

Speak with a live Support Engineer who will solve your problem within 24 hours 95% of the time, or for those challenging issues in 72 hours 99% of the time without an expensive service contract.

customer@profaceamerica.com or 1-800-289-9266



## We Have Your Answers

**Free** Our Technical Support web site contains a vast resource of product and application knowledge.

### Everything you expect plus:

- Sample HMI applications
- Frequently asked questions
- Product certifications
- New and enhanced communication drivers
- Application notes and migration guides



Visit [hmisource.com/otasuke](http://hmisource.com/otasuke)







## Training That Makes A Difference



### Superb Training

HMI is not just about replacing panel buttons and lamps. Contact our experts to learn more about the all the Pro-face advanced HMI features and solutions.

#### Let Our Experts Help You:

-  Our staff includes highly trained and field experienced solution engineers
-  We use working hardware and software
-  We have full agenda courses for maximum benefit
-  We teach from beginner to advanced levels
-  We help to progress the creation of your HMI solution
-  We show you how to network your factory floor information with your Enterprise business system

#### Flexible Training Options\*:

- ✓ Regional hands-on training
- ✓ On-site classroom training
- ✓ Pro-face sponsored webinars
- ✓ Remote access one-on-one training
- ✓ **Free** self-paced online training





\* Some training provided at a modest price.

Pro-face training options and tools not only save time, but also shows you how to achieve maximum operator interface performance.



### We're Here When You Need Us

Pro-face **Free** Learning Center is available 24/7. If you are a beginner developing HMI applications you will find this resource invaluable. Advanced users can take advantage of our HMI time saving tips and tricks.

-  Topic based quick start guides
-  Self-study textbook tutorials
-  Video and podcast-based training modules
-  Advanced tips/tricks techniques collection



# Pro-face



We are always striving to connect customers to their clients, processes, and people through high quality products, and service and support from around the world.

We provide our best possible support for each and every individual customer.

### Our Environmental Policy and Compliance with the RoHS Directive

Pro-face has taken significant steps to meet increasingly stringent requirements for environmental preservation and has sought to comply with the RoHS Directive by adopting measures to eliminate specified harmful substances from existing products and products to be manufactured and sold beginning in 2006. For details, please refer to our web site or contact our sales office in your country.



[www.profaceamerica.com](http://www.profaceamerica.com)

Global Network and Global Support

### ⚠ WARNING

#### HAZARD OF OPERATOR INJURY, OR UNINTEDED EQUIPMENT DAMAGE

Before operating any of these products, be sure to read all related manuals thoroughly. Failure to follow these instruction can result in death or serious injury, unintended equipment damage.

- For printing purposes, the colors in this catalog may differ from those of the actual unit.
- Actual user screens may differ from the screens shown here.
- Electric equipment should be installed, operated, serviced, and maintained only by qualified personnel. No responsibility is assumed by Digital for any consequences arising out of the use of this material.
- All product names used in this catalog are the registered trademarks or trademarks of their respective companies.
- All information contained in this catalog is subject to change without notice.

<p><b>Global Head Office</b> Digital Electronics Corporation Osaka, JAPAN Tel: +81 (0)6 6613 3116 Fax: +81 (0)6 6613 5888 <a href="http://www.pro-face.com">http://www.pro-face.com</a> <a href="mailto:info@pro-face.com">info@pro-face.com</a></p>	<p><b>North/South American Head Office</b> Pro-face America, Inc. Ann Arbor, MI U.S.A Tel: +1 734 477 0600 Fax: +1 734 864 7347 <a href="http://www.profaceamerica.com">http://www.profaceamerica.com</a> <a href="mailto:info@profaceamerica.com">info@profaceamerica.com</a></p>	<p><b>Taiwan</b> Pro-face Taiwan Co., Ltd. Taipei, TAIWAN Tel: +886 (0)2 2657 1121 Fax: +886 (0)2 2657 1021 <a href="http://www.proface.com.tw">http://www.proface.com.tw</a> <a href="mailto:proface@proface.com.tw">proface@proface.com.tw</a></p>	<p><b>European Head Office</b> Pro-face Europe B.V. Hooldorp, THE NETHERLANDS Tel: +31 (0)23 55 44 099 Fax: +31 (0)23 55 44 090 <a href="http://www.proface.eu">http://www.proface.eu</a> <a href="mailto:info@proface.eu">info@proface.eu</a></p>	<p><b>Italy</b> Pro-face Italia S.p.a. Bovisio Masciago (Milano), ITALY Tel: +39 (0)362 59 96 1 Fax: +39 (0)362 59 96 69 <a href="http://www.proface.it">http://www.proface.it</a> <a href="mailto:info@proface.it">info@proface.it</a></p>	<p><b>Spain and Portugal</b> Pro-face España Cardedeu (Barcelona), SPAIN Tel: +34 (0)93 846 07 45 Fax: +34 (0)93 845 48 68 <a href="http://www.proface.es">http://www.proface.es</a> <a href="mailto:info@proface.es">info@proface.es</a></p>
<p><b>Australia and New Zealand</b> Pro-face Australia Mt. Waverley, AUSTRALIA Tel: +61 (0)3 9550 7395 Fax: +61 (0)3 9550 7390 <a href="http://www.pro-face.com.au">http://www.pro-face.com.au</a> <a href="http://www.pro-face.co.nz">http://www.pro-face.co.nz</a> <a href="mailto:plau@pro-face.com">plau@pro-face.com</a></p>	<p><b>Singapore</b> Pro-face Singapore TechPoint, Singapore Tel: +65-6832-5533 Fax: +65-6415-1605 <a href="http://www.proface.sg">http://www.proface.sg</a> <a href="mailto:info@proface.sg">info@proface.sg</a></p>	<p><b>Austria</b> Pro-face Europe B.V.(Austria Office) Hagenberg, AUSTRIA Tel: +43 7236 3343 620 FAX: +43 7236 3343 629 <a href="http://www.proface.at">http://www.proface.at</a> <a href="mailto:info@proface.at">info@proface.at</a></p>	<p><b>Northern Europe</b> Pro-face Northern Europe ApS Roskilde, DENMARK Tel: +45 70 22 01 22 Fax: +45 70 22 01 33 <a href="http://www.proface.dk">http://www.proface.dk</a> <a href="mailto:info@proface.dk">info@proface.dk</a></p>	<p><b>Sweden</b> Pro-face Sweden AB Löddeköpinge (Malmö), SWEDEN Tel: +46 46 540 90 70 Fax: +46 46 71 27 90 <a href="http://www.proface.se">http://www.proface.se</a> <a href="mailto:info@proface.se">info@proface.se</a></p>	<p><b>Switzerland</b> Pro-face Schweiz GmbH Regensdorf, SWITZERLAND Tel: +41 (0)43 343 7272 Fax: +41 (0)43 343 7279 <a href="http://www.proface.ch">http://www.proface.ch</a> <a href="mailto:info@proface.ch">info@proface.ch</a></p>
<p><b>China</b> Pro-face China International Trading Co., Ltd. Shanghai, P. R. CHINA Tel: +86 (0)21 6361 5175 Fax: +86 (0)21 6361 5176 <a href="http://www.proface.com.cn">http://www.proface.com.cn</a> <a href="mailto:proface@proface.com.cn">proface@proface.com.cn</a></p>	<p><b>South-East Asia Pacific</b> Pro-face South-East Asia Pacific Co.,Ltd. Bangkok, THAILAND Tel: +66 (0)2 617 5678 Fax: +66 (0)2 617 5688 <a href="http://www.proface.co.th">http://www.proface.co.th</a> <a href="mailto:support@proface.co.th">support@proface.co.th</a></p>	<p><b>France</b> Pro-face France S.A.S. Mity-Mory, FRANCE Tel: +33 (0)1 60 21 22 91 Fax: +33 (0)1 60 21 22 92 <a href="http://www.proface.fr">http://www.proface.fr</a> <a href="mailto:info@proface.fr">info@proface.fr</a></p>	<p><b>Poland</b> Pro-face Europe B.V.(Warszawa Office) Warszawa, POLAND Tel: +48 (22) 465 66 62 Fax: +48 (22) 465 66 67 <a href="http://www.proface.pl">http://www.proface.pl</a> <a href="mailto:info@proface.pl">info@proface.pl</a></p>	<p><b>Russia</b> Pro-face Europe B.V. (Russia Office) Saint-Petersburg, RUSSIA Tel: +007 (812) 336 47 06 Fax: +007 (812) 336 47 18 <a href="http://www.pro-face.ru">http://www.pro-face.ru</a> <a href="mailto:info@pro-face.ru">info@pro-face.ru</a></p>	<p><b>United Kingdom</b> Pro-face UK Ltd Coventry, ENGLAND Tel: +44 (0)2476 511288 Fax: +44 (0)2476 511499 <a href="http://www.proface.co.uk">http://www.proface.co.uk</a> <a href="mailto:info@proface.co.uk">info@proface.co.uk</a></p>
<p><b>India</b> Pro-face India Bangalore, INDIA Tel: +91 80 4333 3540/3541 Fax: +91 80 4333 3222 <a href="http://www.proface.com.in">http://www.proface.com.in</a> <a href="mailto:sales.proface@proface.co.in">sales.proface@proface.co.in</a></p>	<p><b>South Korea</b> Pro-face Korea Co., Ltd. Seoul, SOUTH KOREA Tel: +82 (0)2 2630 9850 Fax: +82 (0)2 2630 9860 <a href="http://www.proface.co.kr">http://www.proface.co.kr</a> <a href="mailto:proface@proface.co.kr">proface@proface.co.kr</a></p>	<p><b>Germany</b> Pro-face Deutschland GmbH Solingen, GERMANY Tel: +49 (0)212 258 260 Fax: +49 (0)212 258 2640 <a href="http://www.pro-face.de">http://www.pro-face.de</a> <a href="mailto:info@pro-face.de">info@pro-face.de</a></p>	<p><b>Germany</b> Pro-face Deutschland GmbH Solingen, GERMANY Tel: +49 (0)212 258 260 Fax: +49 (0)212 258 2640 <a href="http://www.pro-face.de">http://www.pro-face.de</a> <a href="mailto:info@pro-face.de">info@pro-face.de</a></p>	<p><b>Russia</b> Pro-face Europe B.V. (Russia Office) Saint-Petersburg, RUSSIA Tel: +007 (812) 336 47 06 Fax: +007 (812) 336 47 18 <a href="http://www.pro-face.ru">http://www.pro-face.ru</a> <a href="mailto:info@pro-face.ru">info@pro-face.ru</a></p>	<p><b>United Kingdom</b> Pro-face UK Ltd Coventry, ENGLAND Tel: +44 (0)2476 511288 Fax: +44 (0)2476 511499 <a href="http://www.proface.co.uk">http://www.proface.co.uk</a> <a href="mailto:info@proface.co.uk">info@proface.co.uk</a></p>